

331

SG

332

SG

LIGHT AIRCRAFT GRAY BS381C 627 A
HELL FLUGZEUG GRAU BS381C 627 UK

333

SG

EXTRA DARK SEAGRAY BS381C 640 A EXTR DUNKEL SEEGRAU BS381C 640 UK

334

SG

BARLEY GRAY BS4800/18B21 A GERSTEN GRAU BS4800/18B21 UK 335


SG

MEDIUM SEAGRAY BS381C 637 A

Mr.COLOR

SOLVENT-BASED ACRYLIC PAINT NET: 1 Onl TO THIN: Mr. COLOR THINNER

Mr. COLOR is the highest quality acrylic paint in the world. Its tone, balance, gloss and color richness are the best. Paints for brushing and sprays are available to use as you desire.





<u> </u>	30 <u>E</u>	303	304	303	300	3U/	500	505	510
SG	SG	SG	sg	SG	SG	SG	SG	SG	SG
GRAY FS36081 A GRAU FS36081 US	GREEN FS34092 A GRÜN FS34092 US	GREEN FS34102 A GRÜN FS34102 US	OLIVE DRAB FS34087 A OLIVGRÜN FS34087 US	GRAY FS36118 A GRAU FS36118 US	GRAY FS36270 A GRAU FS36270 US	GRAY FS36320 A GRAU FS36230 US	GRAY FS36375 A GRAU FS36375 US	GREEN FS34079 A GRÜN FS34079 US	BROWN FS30219 A BRAUN FS30219 US
311	312	313	314	315	316	317	318	319	320
SG	SG	SG	sg	G	G	F	SG	SG	SG
GRAY FS36622 A GRAU FS36622 US	GREEN FS34227 A GRÜN FS34227 I	YELLOW FS33531 A GELB FS33531 I	BLUE FS35622 A BLAU FS35622 I	GRAY FS16440 A GRAU FS16440 US	WHITE FS17875 A WEI β FS17875 US	GRAY FS36231 A GRAU FS36231 US	RADOME A RADOME US	LIGHT GREEN A HELL GRÜN J	DARK GREEN A DUNKEL GRÜN J
321	322	323	324	325	326	327	328	329	330
SG	G	G	F	SG	G	G	G	G	SG
LIGHT BROWN A HELL BRAUN J	PHTHALO CYANNE BLUE A PHTALO CYANNE BLAU J	LIGHT BLUE A HELL BLAU J	LIGHT GRAY A HELL GRAU J	GRAY FS26440 A GRAU FS26440 J	BLUE FS15044 A BLAU FS15044 US	RED FS11136 A ROT FS11136 US	BLUE FS15050 A BLAU FS15050 US	YELLOW FS13538 A GELB FS13538 US	DARK GREEN BS381C/641 A DUNKEL GRÜN BS381C/641 UK

336

SG

HEMP BS4800/10B21 HANF BS4800/10B21 337

SG

GRAYISH BLUE FS35237 A GRAUBLAU FS35237 US 338

SG

LIGHT GRAY FS36495 A HELL GRAU FS36495 US 339

G

ENGINE GRAY FS16081 A MASCHINEN GRAU FS16081 US 340

SG

FIELD GREEN FS34097 FIELDGRÜN FS34097



This paint features brighter color, higher foundation screening effect and stronger film than the former Mr. Color, It may be mixed with the former Mr. Color and diluted with the conventional Mr. Color Thinner or Mr. Color Leveling Thinner. NET:18m@

















Mr.CLEAR COLOR GX

NET:18m@



Mr.METALLIC COLOR GX



GX203 GX METAL YELLOW

GX204 GX METAL BLUE

GX METAL GREEN

GX207 GX METAL VIOLET GX METAL PURPLE





GX210 GX BI UF GOI D

GX211 GX MFTAL YELLOW GREEN

GX212 GX METAL PEACH

GX213 GX WHITE SILVER

GX214 GX ICF SILVER

GX215 GX216 GX METAL BLOODY RED GX METAL DARK BLUE

























Mr.Crystal Color can offer a totally different dimension of metallic sense from existing pearl paint or metallic paint.

The pearl color shows up in different shades depending on whether the base color is black or white. Moreover, when clear paint is used for over coating, an extra special metallic texture can be achieved.

XC01 DIAMOND SILVER

XC02 TOPAZ GOLD

XCU3 RUBY RED

XC04 AMETHYST PURPLE

XC05 SAPPHIRE BLUE


XC06 TOURMALINE GREEN

XC07 TURQUOISE GREEN

XC08 MOONSTONE PFARI



NET:18me



Mr.COLOR SPECIAL SET

■10m0×3colors

CS631 IDF AFV COLOR SET

CS644 WWII US NAVY WARSHIP CAMOUFLAGE COLOR SET 2

CS645 JMSDF DESTROYER COLOR SET

CS661 TANK COLORS FOR J.G.S.D.F.

CS662 JAPANESE ARMY TANK COLOR EARLY VER.

CS663 JAPANESE ARMY TANK COLOR LATE VER.

CS664 NATO TANK COLOR

CS665 J.A.S.D.F. OCEANIC CAMOUFLAGE COLOR SET

CS666 J.A.S.D.F. ALUMINIZED OLD-TIMER COLOR SET

CS667 BLUE IMPULSE COLOR SET VER.2

CS668 KAWANISHI N1K2-J COLOR SET

CS641 JAPANESE NAVAL ARSENAL COLOR

CS642 JAPANESE NAVAL CAMOUFLAGE COLOR

CS681 INTERIOR COLOR FOR AIRCRAFT (WW2)

CS682 U.S.NAVAL AIRCRAFT(WW2)

CS683 ROYAL AIR FORCE(WW2) EARLY

CS684 ROYAL AIR FORCE(WW2) MIDDLE/LATE

CS511 MECHANICAL COLOR SET Ver.RED

CS512 MECHANICAL COLOR SET Ver.BLUE

CS513 MECHANICAL COLOR SET Ver. YELLOW

■18m0×4colors

CS551 FRESH COLOR SET FOR FIGURE

CS561 PASTEL COLOR SET GREEN VER.

CS562 PASTEL COLOR SET BLUE VER.

CS563 PASTEL COLOR SET RED VER.

CS564 Mr.COLOR SET THE GRAY

CS643 WWII US NAVY WARSHIP CAMOUFLAGE COLOR SET 1

Mr.METAL COLOR

It provides metallic feeling when the paint surface is polished. It has a surface like metal when the dried paint surface is polished with soft cloth, though it may be painted in the same way as the former Mr. Color. Note that the metallic feeling becomes different if clear paint is sprayed on it.

(Method of use)

1. When using a brush, always paint in the same direction, eg.left to right, top to bottom.

2. After become dry, use a piece of gauze, tissue, an old cloth etc. to polish.


You can create interesting effects depending on how you polish.

Use different polishing techniques in each case, eg. no polished (for a mat effect), half-polished, very well polished.

PRIMARY COLOR PIGMENTS

2D : NET: 10m2































COLOR MODULATION SET





CMC 02

CMC 03

OD HIGHLIGHT 2 OD SHADOW

CS582 18m0×4colors **DARK YELLOW VER.**

CMC C39 F 75% DARK YELLOW DY HIGHLIGHT 1 CMC 05 CMC 06 DY HIGHLIGHT 2 DY SHADOW

CS583 18m0×4colors **GERMAN GRAY VER.**



CS584 18me×4colors **RUSSIAN GREEN VER.**

CMC 10 CMC 11 SG RG CM BASE RG HIGHLIGHT 1 CMC CMC 13 RG HIGHLIGHT 2 RG SHADOW

The actual figure will look three dimensional because of the shading as light falls on it,

but if nothing is done after painting, the figure can give a sort of flat impression, has little presence and becomes dreary. The technique used to emphasize the stereoscopic effect by changing the tone of even just one color is called "Color Modulation".

In some cases where you have a small piece such as a model, it is not easy to see the change just by changing the color of each surface.

So gradation painting is used to emphasize the stereoscopic effect.



Spray shadow (CMCO6) in deeply recessed parts or around legs, and then paint overall with base color (Dark Yellow (C39)). At this time, if you repaint in such a manner as not to paint over the deep parts yed beforehand so that the shadow of e parts can be seen feathering through, it will give a good accent.

After giving an overall coat using base color let's start "Color Modulation".

Use Highlight 1 (CMCO4) in such a manner as to leave a reasonable amount of base color showing, and when painting try to avoid having panels painted with Highlight next to

GG HIGHLIGHT 2

The areas painted should be smaller than the areas painted with

Add high tones using Highlight 2 (CMCO5) to increase contrast.

When sufficient contrast is obtained with Highlight 1, it is possible to use Highlight 2 to paint bolt heads, small hatches or rojecting components using a brush as accents.

Lastly, try to tighten up the overall impression if it becomes blurred with white spots from Highlight

lg. Shadow (CMCO6) to paint recessed areas

(deep parts) to Highlight.

If Shadow is sprayed on too heavily, the contrast between bright parts and dark parts tends to be

extreme,
so dilute the paint to make it a little weak, then
paint on little by little while observing the results
and avoid fixing the color with just one coat.

The point is to clearly define "sharp" and "shaded" areas.



When painting in different colors, tools such as paper, masking tape and transparent plastic sheets can be used.

When painting panel lines in different colors, mainly paper is used (with white paper it is easier to check the painting results as you go).

Hold the paper with one hand and the airbrush with the other, and

hold it over the part where necessary while spraying paint.

Move the paper away occasionally to check the results and overspray gradually to achieve a good result.



Masking tape is used for complicated shapes including round parts. Attach masking tape firmly to prevent it lifting up.



The usages method for transparent plastic sheets (vynil chloride sheet, etc.) is the same as that for paper.

Because it is transparent, it's easier to see where it needs to go to prevent it getting out of position.



WATER BASED COLOR

WATER-BASED ACRYLIC PAINT NET: 10ml TO THIN: ACRYSION THINNER

This is an epoch-making paint that can be used for both brush painting and air brush painting.

Drying speed is faster than with the existing water based hobby colors, so work efficiency is improved dramatically.

Tap water can be used to dilute the paint, but we recommend use of our dedicated thinner in order to retain 100% of the original paint performance.

N 1 G	N2	N 3	N 4	N 5	N 6	N 7	N <mark>8</mark>	N <mark>9</mark>	N 10
WHITE WEIß	BLACK SCHWARZ	RED ROT	YELLOW GELB	BLUE BLAU	GREEN GRÜN	BROWN BRAUN	SILVER SILBER	GOLD GOLD	COPPER KUPFER
N 11	N 12	N 13	N 14	N 15	N 16	N 17	N 18	N 19	N 20
F LAT WHITE MATTWEIß	FLAT BLACK MATTSCHWARZ	FLAT RED MATTROT	G ORANGE ORANGE	G BRIGHT BLUE HELLBLAU	G YELLOW GREEN GELBGRÜN	SG HULL RED RUMPFROT	M STEEL STAHL	PINK ROSA	F FLAT CLEAR KLAR MATT
N 21	N22	N 23	N 24	N 25	N 26	N 27	N 28	N 30	N 32
G OFF WHITE GEBROCHEN WEIß	SG NEUTRAL GRAY	G SHINE RED LEUCHTEND ROT	SG ORANGE YELLOW GELBORANGE	G SKY BLUE HIMMELBLAU	G BRIGHT GREEN HELLGRÜN	SG TAN GELBBRAUN	M METAL BLACK SCHWARZ METALL	G CLEAR KLAR	3/4 F GERMAN GRAY DEUTSCHES GRAU
N 33	N34	N 35	N 36	N 37	N 38	N 39	N 40	N 43	N 44
G RUSSET	G CREAM YELLOW	G COBALT BLUE	SG IJN GREEN (NAKAJIMA)	SG WOOD BROWN	M STEEL RED	G PURPLE	F FLAT BASE	G WINE RED	SG
N 45	N 46	N 47	N 49	N 50	N 51	N 52	MATT GRUNDIERUNG	N 55	N 56
G LIGHT BLUE	G EMERALD GREEN	F RED BROWN	G VIOLET	G LIME GREEN	G LIGHT GULL GRAY	SG OLIVE DRAB (1)	SG NAVY BLUE	G MIDNIGHT BLUE	SG INTERMEDIATE BLUE
HELLBLAU	SMARAGDGRÜN	ROTBRAUN	N/61	LIME GREEN LIMETTEN GRÜN	HELLES MÖWENGRAU	OLIVE DRAB (1) OLIVEGRÜN (1)	MARINEBLAU	MITTERNACHTS BLAU	MITTELBLAU
N 57 G	N 58	N 60 sg	G	SG SG	N <mark>63</mark>	SG SG	N 67 sg	N 68	N 69 sg
AIRCRAFT GRAY FLUGZEUGGRAU	INTERIOR GREEN GRÜN INNEN	IJA GREEN IJA GRÜN	IJN GRAY (MITSUBISHI) IJN GRAU	IJN GRAY GREEN (NAKAJIMA) IJN GRAU (NAKAJIMA)	METALLIC BLUE GREEN BLAUGRÜN METALLISCH	RLM79 SAND YELLOW RLM79 SANDGELB	RLM65 LIGHT BLUE RLM65 HELLBLAU	RLM74 GRAY GREEN RLM74 GRAUGRÜN	RLM75 GRAY VIOLET RLM75 GRAUVIOLETT
N 70	N 71 SG	N 72	N 73	N 76	N 77	N 78	N 79	N <mark>80</mark>	N <mark>81</mark>
RLM02GRAY RLM02 GRAU	MIDDLE STONE STEINGRAU MITTEL	DARK EARTH ERDFARBE DUNKEL	DARK GREEN DUNKELGRÜN	BURNT IRON GEBRANNTES EISEN	TIRE BLACK REIFENSCHWARZ	OLIVE DRAB (2) OLIVEGRÜN (2)	DARK YELLOW DUNKELGELB	KHAKI GREEN KHAKIGRÜN	KHAKI KHAKI
N 82	N 83	N84	N 85	N 86	N87	N 88	N 89	N 90	N91
DARKGRAY (1) DUNKELGRAU (1)	DARKGRAY (2) DUNKELGRAU (2)	MAHOGANY MAHAGONI	SAIL COLOR SEGELFARBE	RED MADDER KRAPPROT	METALLIC RED ROT METALLISCH	METALLIC BLUE BLAU METALLISCH	METALLIC GREEN GRÜN METALLISCH	CLEAR RED ROT TRANSPARENT	CLEAR YELLOW GELB TRANSPARENT
N 92	N 93	N 94	N 95	N 97	N 98	N 99	NI 00	N[101]	N[127]
G CLEAR ORANGE ORANGE TRANSPARENT	G CLEAR BLUE BLAU TRANSPARENT	G CLEAR GREEN GRÜN TRANSPARENT	G SMOKE GRAY RAUCHGRAU	G FLUORESCENT YELLOW FLUORESZIEREND GELB	G FLUORESCENT ORANGE FLUORESZIEREND ORANGE	G FLUORESCENT PINK FLUORESZIEREND ROSA	G FLUORESCENT GREEN FLUORESZIEREND GRÜN	G FLUORESCENT RED FLUORESZIEREND ROT	SG COCKPIT COLOR (NAKAJIMA) COCKPIT FARBE
S. S. MOE TI PRIO ATENT	SE TO THUMBON MELET	S. ISTA TITUTOTA ILLAT		- 233/1EOEIE/1E/10 GEED	- 200 ROEE END OFFINGE	. ESSIESEIEIEI IIOM	- 2331ESEETENS GROW	. ESSITEOETERS NOT	SSSM II TAMBE

ACRYSION COLOR SET

NS30 ACRYSION STARTER SET

10mℓ × 6colors Measure Spoon×3, Mixing Stick, Brush, Paint Tray×2

PAINT TRY! ACRYSION KIT

NK101 **PAINT TRY! ACRYSION KIT BUDGERIGAR**

 $10me \times 3colors$

Resin casting Budgerigar × 1



N4 N 15 G YELLOW GELB BRIGHT BLUE HELL BLAU

N 25 G SKY BLUE HIMMEL BLAU

NK102 **PAINT TRY! ACRYSION KIT**

 $10m\theta \times 3colors$

Resin casting Cat×1



N 12 N 19 G FLAT BLACK MATT SCHWARZ PINK ROSA

N 27 SG TAN GELB BRAUN

NK103 **PAINT TRY! ACRYSION KIT FROG**

N2

G

BLACK SCHWARZ

 $10m\theta \times 3colors$

N 1

G WHITE WEIβ

Resin casting Frog × 1



N2 N 6 G BLACK SCHWARZ N 16 G

YELLOW GREEN GELB GRÜN

NK104 **PAINT TRY! ACRYSION KIT CHAMAELEO**

N4

G

YELLOW GELB

 $10m\theta \times 3colors$

N3

G

RED ROT

Resin casting CHAMAELEO×1



N 34 N 46 CREAM YELLOW CREMEGELB EMERALD GREEN SMARAGDGRÜN N 86

G



NK105 PAINT TRY! ACRYSION KIT GOLDFISH

N 6

G

GREEN GRÜN

 $10m\theta \times 3colors$

N 5

G

BLUE BLAU

Resin casting GOLDFISH×1



N 1	N9
G	M
WHITE WEIß	GOLD GOLD





AQUIEQUS HOBBY C'OILOR

AQUEOUS HOBBY COLOR is a water soluble, safe paint.
The paint does not dissolve once dry and the color is excellent.

WATER-BASED ACRYLIC PAINT NET: 10ml TO THIN: AQUEOUS HOBBY COLOR THINNER

GRAUFE SOOR 1 MAN GRAUFE GRA	ATER-BASI	ED ACRYL	IC PAINT I	NET:10ml	TO THIN: A	AQUEOUS	HOBBY CC	LOR THIN	NER
H 1	H 2	H 3	H 4	H 5	H 6	H 7	H_8	H 9	H10
WHITE P WEIβ	BLACK P SCHWARZ	RED P ROT	YELLOW P GELB	BLUE P BLAU	GREEN P GRÜN	BROWN P BRAUN	SILVER P SILBER	GOLD P GOLD	COPPER P KUPFER
H11	H12	H13	H14	H15	H <mark>16</mark>	H17	H[18]	H19	H <u>20</u>
FLAT WHITE P MATT WEIβ	FLAT BLACK P MATT SCHWARZ	FLAT RED P MATT ROT	G ORANGE PORANGE	BRIGHT BLUE P·C HELL BLAU	YELLOW GREEN P·C GELB GRÜN	COCOA BROWN P-S KAKAOBRAUN	STEEL P STAHL	G PINK P	FLAT CLEAR P KLAR MATT
H21	H <u>22</u>	H23	H24	H <u>25</u>	H <u>26</u>	H27	H28	H29	н30
G CONTRACT P HALB WEIβ	G GRAY P	SHINE RED P LEUCHTEND ROT	ORANGE YELLOW P	G SKY BLUE P	G BRIGHT GREEN P∙C HELL GRÜN	G TAN P'S GELB BRAUN	M METAL BLACK P METALL SCHWARZ	G SALMON PINK P LACHSROSA	G CLEAR P
H31	н <u>32</u>	H <u>33</u>	н34	н <u>35</u>	н <u>36</u>	H37	н <u>38</u>	н <u>39</u>	H40
G WHITE GREEN P WEIβGRÜN	G FIELD GRAY (1) P-T FELD GRAU (1) G-II	G RUSSET P ROST BRAUN	G CREAM YELLOW P CREME GELB	G COBALT BLUE P KOBALT BLAU	G DARK GREEN P DUNKEL GRÜN	G WOOD BROWN P	M STEEL RED P STAHL ROT	G PURPLE P PURPUR	FLAT BASE MATT GRUNDIERUNG
H41	H <u>42</u>	H43	H44	H45	H46	H47	H48	H49	H <u>50</u>
G PALE GREEN P BLAβ GRÜN	G BLUE GRAY P BLAU GRAU	G WINE RED P WEIN ROT	FLESH P FLEISCHFARBE	G LIGHT BLUE P HELL BLAU	G EMERALD GREEN P SAMARAGD GRÜN	RED BROWN P-T ROT BRAUN G-II	G FIELD GRAY (2) P·T FELD GRAU (2) G·Ⅱ	G VIOLET P	G LIME GREEN P LIMETTEN GRÜN
H <u>51</u>	H <u>52</u>	H <u>53</u>	H <u>54</u>	H <u>55</u>	H <u>56</u>	H 57	H <u>58</u>	н <u>59</u>	H <u>60</u>
G LIGHT GULL GRAY A HELLES MÖWEN GRAU US	SG OLIVE DRAB (1) A OLIVGRÜN (1) US·II	SG NEUTRAL GRAY A NEUTRALES GRAU US-II	SG NAVY BLUE A MARINE BLAU US•II	G MIDNIGHT BLUE A MITTERNACHTS BLAU US-II	SG INTERMEDIATE BLUE A MITTEL BLAU US-II	AIRCRAFT GRAY A FLUGZEUG GRAU US	SG INTERIOR GREEN A INNEN GRÜN US·II	G IJN GREEN A IJN GRÜN J·II	SG IJA GREEN A IJA GRÜN J•II
H <u>61</u>	H <u>62</u>	н <u>63</u>	н64	H <u>65</u>	H <u>66</u>	H67	н <u>68</u>	H <u>69</u>	H <u>70</u>
G IJN GRAY A IJN GRAU J•II	SG IJA GRAY AIJA GRAU J·II	METALLIC BLUE GREEN A BLAUGRÜN METALLISCH J-II	SG RLM71 DARK GREEN A RLM71 DUNKEL GRÛN G•II	SG RLM70 BLACK GREEN A RLM70 SCHWARZ GRÜN G-II	RLM79 SANDY BROWN A RLM79 SAND GELB G•II	RLM65 LIGHT BLUE A RLM65 HELL BLAU G-II	SG RLM74 DARK GRAY A RLM74 DUNKEL GRAU G•II	SG RLM75 GRAY A RLM75 GRAU G·II	SG RLM02 GRAY A RLM02 GRAU G·II
H <u>71</u>	H <mark>72</mark>	H <mark>73</mark>	H.74	H <u>75</u>	H <u>76</u>	H 77	H <mark>78</mark>	H 79	H <u>80</u>
MIDDLE STONE A STEINGRAU.MITTEL UK-II	SG DARK EARTH A ERDFARBE. DUNKEL UK-II	SG DARK GREEN A DUNKEL GRÛN UK-I	SG SKY (DUCK EGG GREEN) A	DARK SEAGRAY A SEEGRAU, DUNKEL UK-II	BURNT IRON P-C GEBRANNTES EISEN	TIRE BLACK A.C REIFEN SCHWARZ	OLIVE DRAB (2) T OLIVGRÜN (2) US	SANDY YELLOW (DARK YELLOW) T SAND GELB (DUNKEL GELB) G-II	KHAKI GREEN T KHAKI GRÜN US-II
H81	H <mark>82</mark>	H <mark>83</mark>	H <mark>84</mark>	H <mark>85</mark>	H <mark>86</mark>	H <mark>87</mark>	H <u>88</u>	H <mark>89</mark>	H <mark>90</mark>
KHAKI T KHAKI J·UK·I	DARK GRAY (1) S DUNKEL GRAU (1) US-II	DARK GRAY (2) S DUNKEL GRAU (2) J·II	MAHOGANY P·S MAHAGONI	SAIL COLOR P-S SEGEL FARBE	RED MADDER P·C KRAPP ROT	METALLIC RED P·C ROT METALLISCH	METALLIC BLUE P·C BLAU METALLISCH	METALLIC GREEN P+C GRÜN METALLISCH G	CLEAR RED P ROT TRANSPARENT
H91	H <mark>92</mark>	H <mark>93</mark>	H <mark>94</mark>	H <mark>95</mark>	H <mark>96</mark>	H <mark>301</mark>	H <mark>302</mark>	H <mark>303</mark>	H <mark>304</mark>
CLEAR YELLOW P GELB TRANSPARENT	CLEAR ORANGE P ORANGE TRANSPARENT	CLEAR BLUE P BLAU TRANSPARENT	GLEAR GREEN P GRÜN TRANSPARENT	SMOKE GRAY P·C RAUCH GRAU	SMOKE BLUE P·C RAUCH BLAU	GRAY FS36081 A GRAU FS36081 US	GREEN FS34092 A GRÜN FS34092 US	GREEN FS34102 A GRÜN FS34102 US	OLIVE DRAB FS34087 A OLIVGRÜN FS34087 US
H <mark>305</mark>	H <mark>306</mark> sg	H <mark>307</mark>	H <mark>308</mark>	H <mark>309</mark> sg	H <mark>310</mark>	H311	H <mark>312</mark>	H <mark>313</mark>	H <mark>314</mark>
GRAY FS36118 A GRAU FS36118 US	GRAY FS36270 A GRAU FS36270 US	GRAY FS36320 A GRAU FS36320 US	GRAY FS36375 A GRAU FS36375 US	GREEN FS34079 A GRÜN FS34079 US	BROWN FS30219 A BRAUN FS30219 US	GRAY FS36622 A GRAU FS36622 G	GREEN FS34227 A GRÜN FS34227 I	YELLOW FS33531 A GELB FS33531 I	BLUE FS35622 A BLAU FS35622 I
H <mark>315</mark>	H <mark>316</mark>	H317	H318	H <mark>319</mark> sg	H <mark>320</mark> sg	H <mark>321</mark>	H <mark>322</mark>	H <mark>323</mark>	H <mark>324</mark>
GRAY FS16440 A GRAU FS16440 US	WHITE FS17875 A WEIβ FS17875 US	GRAY FS36231 A GRAU FS36231 US	RADOME A RADOME US	LIGHT GREEN A HELL GRÜN J	DARK GREEN A DUNKEL GRÜN J	LIGHT BROWN A HELL BRAUN J	PHTHALO CYANINE BLUE A PHTALO CYANINE BLAU J	LIGHT BLUE A HELL BLAU J	LIGHT GRAY A HELL GRAU J
H <mark>325</mark>	H <mark>326</mark>	H <mark>327</mark>	H <mark>328</mark>	H <mark>329</mark>	H <mark>330</mark>	H <mark>331</mark> sg	H <mark>332</mark>	H <mark>333</mark> sg	H <mark>334</mark> sg
GRAY FS26440 A GRAU FS26440 J	BLUE FS15044 A BLAU FS15044 US	RED FS11136 A ROT FS11136 US	BLUE FS15050 A BLAU FS15050 US	YELLOW FS13538 A GELB FS13538 US	DARK GREEN BS381C/641 A DUNKEL GRÜN BS381C/641 UK	DARK SEAGRAY BS381C/638 A SEEGRAU,DUNKEL,BS381C/638 UK	LIGHT AIRCRAFT GRAY BS381C/627 A HELL FLUGZEUG GRAU BS381C/627 UK	EXTRA DARK SEAGRAY BS381C/640 A EXTRA DUNKEL SEEGRAU BS381C/640 UK	BARLEY GRAY BS4800/18B21 A GERSTEN GRAU BS4800/18B21 UK
H <mark>335</mark> sg	H <mark>336</mark> sg	H <mark>337</mark>	H <mark>338</mark> sg	H <mark>339</mark>	H <mark>340</mark>	H401	H402	H403	H <mark>404</mark>
MEDIUM SEAGRAY BS381C/637 A MITTEL SEEGRAU BS381C/637 UK	HEMP BS4800/10B21 A HANF BS4800/10B21 UK	GRAYISH BLUE FS35237 A GRAUBLAU FS35237 US	LIGHT GRAY FS36495 A HELLGRAU FS36495 US	ENGINE GRAY FS16081 A MASCHINEN GRAU FS16081 US	FIELD GREEN FS34097 A FELDGRÜN FS34097	DARK GRAY T SCHWARZGRAU G·II	GREEN BROWN T GRÜNBRAUN G·I	DARK YELLOW T DUNKELGELB G·II	KHAKI BROWN T KHAKIBRAUN G·II
H405	H <mark>406</mark>	H413	H414 sg	H <mark>416</mark>	H417	H <mark>418</mark>	H <mark>420</mark>	H <mark>421</mark>	H <mark>422</mark> sg
OLIVE GREEN T OLIVGRÜN G·II	CHOCOLATE BROWN T SCHOKOLADENBRAUN G·II	RLM04 YELLOW A RLM04 GERB G·I	RLM23 RED A RLM23 ROT G·II	RLM66 BLACK GRAY A RLM66 SCHWARZGRAU G·II	RLM76 LIGHT BLUE A RLM76 HELLBLAU G·II	RLM78 LIGHT BLUE A RLM78 HELLBLAU G·II	RLM80 OLIVE GREEN A RLM80 OLIVGRÜN G•II	RLM81 BROWN VIOLET A RLM81 BRAUNVIOLETT G-II	RLM82 LIGHT GREEN A RLM82 HELLGRÜN G•II
H <mark>423</mark> sg	H451	H452	H <mark>453</mark>	H <mark>455</mark>	H <mark>456</mark>	H <mark>457</mark>	H <mark>458</mark>	H459	H <mark>460</mark>
RLM83 DARK GREEN A RLM83 DUNKELGRÜN G•II	CHALKY WHITE KALK WEIß	SOOT BLACK RUß SCHWARZ	RUST RED ROST ROT	CEMENT GRAY ZEMENT GRAU	DUST BROWN STAUB BRAUN	EARTH BROWN ERD BRAUN	MACHINE GRAY MASCHINEN GRAU	SAND YELLOW SAND GELB	RED BROWN (1) ROT BRAUN (1)
H <u>461</u>	H <mark>462</mark>	H <mark>463</mark>	H <mark>464</mark>	H <mark>465</mark>		AQUEOUS	6 НОВВҮ С	OLOR SET	
' -	' -	'	'	' -	HS30				CONTENTS

H466 F PURPLE RED PURPUR ROT KARMIN ROT

OXIDE GREEN OXID GRÜN

(WEATHERING COLOR) NET:10ml 5colors

BLACK BROWN SCHWARZ BRAUN

(WEATHENING COLOR)		INET.TOIK	5001015	
н341	H342	H343	н <u>345</u>	H346
F	G	F	F	F
MUD SCHLAMM	OIL OL	SOOT RUß	ROUGH GRAY RAU GRAU	ROUGH SAND RAU SAND

HS30 AQUEOUS HOBBY COLOR SET

10㎖×8colors 님이 나의 나의 나의

COBALT BLUE KOBALT BLAU

H-11, H-21, H-31, H-41, H-111, H-131, H-35, H-46

Measure Spoon×3, Mixing Stick, Brush×2, Paint Tray×3, Cap Opener



***THINNER FOR** Mr.COLOR



Mr COLOR THINNER **50** NET 50mℓ



Mr.COLOR THINNER 110 NET 110m2



T103 Mr.COLOR THINNER 250 NET 250m€



Mr.COLOR THINNER 400 NET 400me



Mr.COLOR LEVELING THINNER NET 110m2



Mr.COLOR LEVELING THINNER 400 NET 400me



Mr.COLOR RAPID THINNER NET 400me

Dilute the Mr.Color with the exclusive thinner. The standard paint-to-thinner dilution ratio is 1:1.5 to 2 for painting with an airbrush. Use Leveling Thinner for painting with an airbrush. (It is also available for brush painting.) It improves the paint flatness and provides a glossier surface, since it contains retarder. It even provides mat surfaces when used for mat

*THINNER FOR AQUEOUS HOBBY COLOR



T110 Aqueous Color Thinner 110 Net 110me



T111
AQUEOUS COLOR THINNER

This thinner contains alcohol for faster drying, though the Aqueous Hobby Color may be diluted with tap water. It also improves adhesion to the paint surface.

#1000

*THINNER FOR ACRYSION COLOR



ACRYSION THINNER 110 NET 110me



T303
ACRYSION THINNER



ACRYSION TOOL CLEANER 110 NET 110me



T313
ACRYSION TOOL CLEANER 250 NET 250me



T314 ACRYSION THINNER FOR AIRBRUSH 250 NET 250me

FINISHING MATERIALS

COARSE



#500

SF285 Mr.SURFACER 500 NET 40me



SF283 Mr.BASE WHITE 1000 NET 40me



SF284 Mr.SURFACER 1000 NET 40me



SF287



SF290 Mr.PRIMER SURFACER 1000 NET 40m€



Mr.MAHOGANY SURFACER 1000 NET 40m2



#1200

SF286 Mr.SURFACER 1200 NET 40me



SF288 Mr.FINISHING SURFACER 1500 BLACK NET 40me



SF289 Mr.FINISHING SURFACER



FINE

#1500

SF291 Mr.FINISHING SURFACER 1500 WHITE NET 40me



B506 Mr.SURFACER 500 NET 100m2



B505 Mr.SURFACER 1000 NET 100m2



Mr.WHITE SURFACER 1000 NET 170me



Mr.SURFACER 1000 Deluxe Net 170me



Mr.BASE WHITE 1000 NET 180m2



Mr.PRIMER SURFACER 1000 NFT 170mP



B525 Mr.OXIDE RED SURFACER 1000 NET 170me



B528 Mr.MAHOGANY SURFACER 1000 NET 170me



B515 Mr.SURFACER 1200 NFT 170m2



Mr.FINISHING SURFACER 1500 Black Net 170m2



B527 Mr.FINISHING SURFACER 1500 Gray Net 170me



Mr.FINISHING SURFACER 1500 WHITE NET 170m2



NET 40m2

Mr.METAL PRIMER-R NET 100m2 Mr.METAL PRIMER-R

Mr.Metal Primer is to he coated on metallic materials such as white metal and etching parts (brass and stainless steel) before painting. It prevents separation of naint.



Mr.TOPCOAT GLOSS NET 86me



Mr.TOPCOAT SEMI-GLOSS NET 86me



Mr.TOPCOAT FLAT NET 86me

Mr.Top Coat is a coating material for surface finish, Use it for final finish of painted models.

. It is water-based and may be painted over both Mr.Color and Aqueous Hobby Color. It may also be painted on slide marks.

*B503 Flat may become white if it is painted thick. Spray it thinly. Do not use on humid days.



It is used so that the whitening phenomenon that occurs due to excess spraying is minimized to the utmost, and gloss can be eliminated while keeping the texture of color on the coated surface

Mr.PREMIUM TOPCOAT FLAT NET 86m2



, MR つや消し B514

B513 Mr.Super Clear Mr.Super Clear Mr.Super Clear Semi-Gloss Net 170me Flat Net 170me Gloss Net 170me



B516



B523 Mr.SUPER CLEAR UV CUT GLOSS NET 170me FLAT NET 170me



Mr.SUPER CLEAR UV CUT



R193 Mr.CLEAR COATING UV NET 25m2

This super coating agent which exceeds even fluorine was generated using nano technology. This water-soluble solution is a safe and environmentally friendly eco product that has high performance. This is effective for protection from color fading, stains, dirt, static electricity and ultraviolet rays and for prevention of deterioration of plastic model tire parts. This can he used even on decals.

[Method of use]

- 1. Remove dirt or dust from the surface to be coated.
- 2. Apply coating evenly over the desired surface using tissue paper, etc. Wipe with the dry cloth that came with this product when the coated surface has dried a little (approx. 30sec. ∼ 1min.).



R189 Mr COMPOLIND (FINE) NET 25me



R190 Mr COMPOLIND (SUPER FINE) NET 25me



R191 Mr.COMPOUND (ROUGH) NET 25me

This handy liquid version spreads easily and is a snap to wipe off.

Uniform particle size makes Mr. COMPOUND ideal for removing scratches and smoothing down surfaces. [Method of use]

- 1. Using a soft cloth, wipe dirt and grime from the surface you want to polish.
- 2. Apply a small amount of Mr. COMPOUND to the nonwoven fabric provided or to a soft cloth.
- 3. Without applying force, lightly and thoroughly polish the surface.



MC124 Mr.CEMENT NET 25m2



MC127 Mr.CEMENT DELUXE NET 40me



MC129 Mr.CEMENT S NET 40m2



Mr.CEMENT LIMONENE NET 40m2



MJ194 Mr.JUST ONE-PUSH NET 2a



Mr.JUST BRUSH TYPE



Mr.CLEAR GLUE NET 10a



Mr.JUST SUPER FAST TYPE (containing 3g x 2pcs)



Mr.JUST SUPER STRONG TYPE (containing 3g x 2pcs)

This glue is exclusively designed for plastic models.

Pour MC129 or MC130 into gaps of parts fitting each other to glue the parts. MC129 and MC130 are thin tip brush types designed for easy works. (MC130 smells like orange.) PLO1 and PLO2 are pen type cement. It is limonene type, so it has no irritating smell of solvent and you can use it without worrying about being a nuisance to others.

There is a standard type pen nib and extra thin type. Use them according to the parts you want to bond.





This may be oozed out from the tube and used as is. It is used to fill small gaps and dents. The putty will not become so hard.

Mr.WHITE PUTTY NET 30g



Mr.WHITE PUTTY R NFT 30n

This may be used to wash air brushes and brushes. * It may not be used to

dilute paint.

This is highly viscous liquid type lacpuer putty.

Use Surfacer 500 to finish the surface. Use Dissolved Putty to fill holes and dents.



Mr.DISSOLVED PUTTY NFT 40m0



Mr.EPOXY PUTTY HIGH DENSITY TYPE



Mr.EPOXY PUTTY SUPER LIGHTWEIGHT TYPE

Special brush cleaning liquid.

attached to a brush can be



Mr.SSP PUTTY





for Aqueous Hobby Color.)

Mr.RETARDER MILD NFT 40m2

T105

Use this in cases where temperatures are high and Mr.Color dries too quickly, like in summer. Adding to Mr.Color by 10% or less reduces the drying speed of Mr.Color and prevents uneven and unsmooth brushing. (It may not be used

T113 Mr. TOOL CLEANER R 250 NFT 250m2

Mr. MARK SETTER

Mr.MARK SETTER

NET 40me



T116 Mr. TOOL CLEANER R 400 NFT 400m2

cloth or the like to stick it.

component.



Mr. BRUSH CLEANER LIQUID NFT 110mp.



Rub paint lightly with a brush or swab moistened with the neeler to peel off paint.

This is exclusive

paint peeler.

T114 Mr.PAINT REMOVER R NET 40me



This product is a replenishing agent for restoring Mr.Color that has higher viscosity or is dried in a bottle.

Since coating resin that is not included in Mr.Color thinner is included, the original performance of paint is restored.






decal and sticking it to curved or irregular surfaces.

softener to the position where decal is to be stuck. Wait for a minute or so and press the decal lightly with cloth or the like to stick it.

Mr.MARK SOFTER NET 40me



Using it with the mark setter: 1) Apply the mark setter to the position where decal is to be stuck.

This not only softens decal but also sticks it with adhesive

Apply a small amount of softener to the position where decal is to

be stuck. Wait for a minute or so and press the decal lightly with

2) Stick a slide mark. 3) Spread it evenly and remove water with a swab, etc.

4) Apply the mark softer on it, remove water again, and dry it. 5) Pierce air bubbles with a thin needle if the decal has air bubbles. Apply the mark softer on the air bubbles and stick it.



NET 20g

This remains elastic rubber even after drying and is suitable for masking in a wide area.

Dried film cannot be cut with a design knife or the like.



It is possible to apply it on the paint surface and cut off excess parts with a design knife or the like to make any masks as you Both M132 and M133 are

water-soluble.

Mr.MASKING SOL NEO



GUNDAM MARKER





BANDAI CO.,LTD Hobby Products Department © 創通・サンライズ



GM01 ∼ GM03 **GUNDAM MARKER**

For ink drawing (Ultra thin pen point)

3 colors (see also color sample)

Gundam marker for ink drawing is super thin for painting engraved lines, and they can give you a more mechanical looking finish. Paint run off can be erased with a rubber eraser.

marker ink fixes really well, so it is extremely easy to use. 3 colors are available, so you can use them for wide range of purposes.

Black: For parts with dark colors like blue and gray

Gray : Optimum for white parts

Brown: For gold plated and red parts





GM20 、GM21 **GUNDAM MARKER** For ink drawing (Wipe off type)

2 colors (see also color sample)

Gundam marker ink drawing brush pen is the ultimate marker for ink drawing the finer engraved lines.

It has a brush type pen point, so you can

paint any detailed engraved parts. Furthermore, special water-based ink is used, so you can over paint it on Mr.Color, Aqueous Hobby Color and ACRYSION and any paint run off can be wiped off with a cotton bud, etc. This pen has the power to increase the reality of any kind of model.






GM04 ∼ GM19 、GM300 **GUNDAM MARKER** Paint type

17 colors (see also color sample)

Gundam marker for painting is a popular marker with which you can reproduce the original colors of Gundam and BB Warriors easily. The pen point is a "flat core" that is most suitable for detailed painting, and a good color and smooth coverage alcohol type paint is used. 6 metallic colors, 3 fluorescent colors, 7 special colors and an eraser pen, a total of 17 varieties are available.







GM301 ~ GM303 **GUNDAM MARKER POUR TYPE BLACK**

3 colors (see also color sample)

You can pour ink into the mold only by putting the tip of the pen. You can use a rubber eraser for the excess paint.

GM	GM	GM
301	302	303
BLACK	GRAY	BROWN





GP01 **GUNDAM INK DRAWING PEN "SHARP"**

Recommended by GUNPLA (Gundamrelated plastic model) master-hand,

Kawaguchi. Super easy ink drawing in the recessed line moldings on GUNPLA. You can draw in the recessed mold lines smoothly with ink using the ultra thin pen point of 0.3mm. You can get a sharp and realistic look easily even without painting. Paint run off can easily be removed with a rubber eraser. This is a mechanical pencil type ink drawing pen.



One-point advice on GUMDAM MARKER

When you need to paint small parts or places where the pen point cannot reach, put ink in a paint dish and paint it with a thin brush.





GUNDAM MARKER SET



GMS105 **GUNDAM MARKER BASIC SET**

A 6 color set with 1 color brush pen for ink drawing and 5 colors of Gundam marker. which contains quick drying alcohol type paint and provides an outstanding strength paint film.



GMS108 **GUNDAM MARKER** ZEON SET

All colors for Char's Zaku and Zaku. Moreover, we have developed special paint for this set, so you can get a smooth painted surface with very little irregularity of color.



GMS109 **GUNDAM MARKER GUNDAM SEED BASIC SET**

A set of markers for the popular Gundam Seed. All the basic colors for Strike and Freedom come as a






GMS112

REAL TOUCH

MARKER SET 1






GMS110 **GUNDAM MARKER** THIN POINT TYPE SET

A set of thin pen point type markers that are especially effective for painting fine parts such as the face. vernier and eyes of Gundam








Convenient set for realistic weathering and smudging painting effects. If you use this set with Real Touch Marker set 2, you'll broaden your range of painting. This is a set of water-based wipe off type markers.





GMS113 REAL TOUCH MARKER SET 2


Convenient set for realistic weathering and smudging painting effects. If you use this set with Real Touch Marker set 1, you'll broaden your range of painting. This is a set of water-based wipe off type markers.





GMS114 GUNDAM MARKER GUNDAM SEED DESTINY MARKER SET

A set of colors for "Impulse Gundam", the main figure of Gundam Seed Destiny. Light blue and vellow markers have thin pen point and are easy to





GMS121 GUNDAM METALLIC MARKER SET

A set of markers which provides metalic feelings on the parts easily. 5 metalic colors and a MARKER for ink drawing are included.





GMS122 GUNDAM MARKER POUR TYPE SET

A set of markers including new colors for the popular pour type marker which can pour ink into the mold easily. 5 colors and ERASURE MARKER are included, and you can use it as your usage.

GM	GM	GM	
300	302	303	
ERASURE	GRAY	BROWN	
GM	GM	GM	
311	312	313	
BLUE 1	ORANGE 1	OLIVE	

GUNDAM COLOR



Planned by BANDAI CO.,LTD Hobby Products Department (C) 創通・サンライス

GUNDAM COLOR SINGLE ITEMS

17 colors (see also color sample)

18*m*ℓ



	UG01	UG02	UG03	UG04	UG05
	Semi gross	Semi gross	Semi gross	Semi gross	Metallic
	MS WHITE	MS BLUE	MS YELLOW	MS RED	U.N.T'.s MS GRAY
	UG06	UG07	UG08	UG09	UG10
	Semi gross	Semi gross	Semi gross	Semi gross	Semi gross
	MS GREEN	MS DEEP GREEN	MS PURPLE	ZEON'S MS GRAY	MS CHAR'S PINK
	UG11	UG12	UG13	UG14	UG15
	Semi gross	Semi gross	Semi gross	Semi gross	Semi gross
	MS CHAR'S RED	MS SAZABI RED	A.E.U.G'.s MS BLUE	MS LIGHT BLUE	MS PHANTOM GRAY
	UG16	UG17			
	Semi gross	Semi gross			
10	MS TITANS BLUE 1	MS TITANS BLUE 2	-		

M COLOR SPRAY



Planned by BANDAI CO.,LTD Hobby Products Department

GUDAM COLOR SPRAY

15 colors (see also color sample) 100*mℓ*



new so o	colors based of course it is e	on new specific easy to use an	hese are new cations. These d provides exc n COLOR sets	are based of ellent color	n Mr. Color, and finish.
SG01	SG02	SG03	SG04	SG	05

3G01	SG02	SG03	SG04	SG05
Semi gross	Semi gross	Semi gross	Semi gross	Metallic
MS WHITE	MS BLUE	MS YELLOW	MS RED	U.N.T'.s MS GRAY
SG06	SG07	SG08	SG09	SG10
Semi gross	Semi gross	Semi gross	Semi gross	Semi gross
MS GREEN	MS DEEP GREEN	MS PURPLE	ZEON'S MS GRAY	MS CHAR'S PINK
SG11	SG12	SG13	SG14	SG15
Semi gross	Semi gross	Semi gross	Semi gross	Semi gross
MS CHAR'S RED	MS SAZABI RED	A.E.U.G'.s MS BLUE	MS LIGHT BLUE	MS PHANTOM GRAY



Available in thin and broad pen tip.

Step1 Paint all over with Mr. Super Clear Matte or Top Coat Matte.

AAR,

Individual Real Touch Markers. These markers have been really popular since they were first launched.

With this marker, you can give the effect of stains and smudging easily with a realistic touch. Water-based paint is used for safety.

GM 401 400 Grading Marker GM 406

REAL TOUCH GRAY 3



REAL TOUCH BROWN 1





GM

409




410





11 colors (see also color sample)

Step2 Paint the edges Step3 GM400 Blend Step4 Wipe off excess of the parts lightly with a ink with a Real Touch ink by rubbing with a cotton Real Touch Pen



bud or tissue paper.







Get a realistic stain effect by over-painting some colors.

Mr.WEATHERING COLOR

NET:40m2

Special paint for weathering presentation based on oil paint material. It can be used on its own, but brightness can be adjusted by mixing it with other colors. It is possible to apply this over the base color of Mr. Color, Aqueous hobby color and Acrysion color.

WCO1 WEATHERING COLOR **MULTI BLACK**



WCO2 WEATHERING COLOR **GROUND BROWN**



WCO3 WEATHERING COLOR **STAIN BROWN**



WCO4 WEATHERING COLOR SANDY WASH



WCO5 WEATHERING COLOR **MULTI WHITE**



WC06 WEATHERING COLOR **MULTI GRAY**



WC07 WEATHERING COLOR **GRAYISH BROWN**



WCO8 WEATHERING COLOR **RUST ORANGE**



Mr.WEATHERING COLOR FILTER LIQUID

When this is applied broadly using a flat brush, etc. on a surface painted with basic color and then wiped off lightly with cotton buds, etc., the color tone on the painted surface can be matched and shading or shadowing can be added to enhance 3D appearance. *Filtering: Painting method to replicate fading of coating.

NET:40m2

WC09 FILTER LIQUID **SHADE BLUE**



WC10 FILTER LIQUID SPOT YELLOW



WC11 FILTER LIQUID LAYER VIOLET



WC12 FILTER LIQUID **FACE GREEN**





Mr.WEATHERING LINER



PP201

Mr.WEATHERING LINER **RUST COLOR SET**

PL01 **RUST RED PL02 RUST ORANGE** PL03



PP202

Mr.WEATHERING LINER MUD COLOR SET

PL04 SAND BROWN PL05 MUD BROWN PL06 **DEEP BROWN**



PP203 Mr.WEATHERING LINER

SNOW COLOR SET PL07 WHITE PL08 LIGHT GRAY **PL09**



WCT101

WEATHERING COLOR THINNER 110ml

Dedicated thinner for Weathering color. Use it for wiping Weathering color, adjusting the viscosity or cleaning. You can use it without damaging the base color painted on using Aqueous hobby color or Acrysion color



WEATHERING PASTEL SET

This is a pastel set suitable for expressing dirtiness, dust and mud. It is powdery and may be used as is.



PP101

WEATHERING PASTEL SET 1

NET $15q \times 3$ colors

PW01 DARK BROWN

> PW02 LIGHT BROWN

PW03 SAND



PP102 **WEATHERING PASTEL SET 2**

NET 15g × 3colors




PW04 **CHARCOAL GRAY**













Muddy expression: Dissolve it with Aqueous Color Thinner and rub solution with a brush or swab.

Mr.WEATHERING PASTE

NET:40m2

It is most suitable for reproducing three dimensional stains such as mud. When used on its own, you can create a puddle effect. WPO3 WET CLEAR can reproduce a moistened texture when it is mixed with other WEATHERING PASTE. It can not be used by airbrushes.

WPO1 WEATHERING PASTE **MUD BROWN**





WP02 WEATHERING PASTE **MUD WHITE**





WP03 WEATHERING PASTE **WET CLEAR**





WP04 WEATHERING PASTE **MUD YELLOW**





WP05 WEATHERING PASTE **MUD RED**





DIORAMA SAMPLE

Mr. BRUSH

This is a painting brush with a silicone grip developed first in the world. It uses very durable PBT (chemical fiber) bristles to solve such problems as cut-off and fall-out of the bristles.

















Mr. WEATHERING BRUSH & SPONGE



MB30 Mr. WEATHERING **BRUSH SET HARD** (LARGE & **SMALL BRUSH)**



MB31 Mr. WEATHERING **BRUSH SET SOFT** (LARGE & **SMALL BRUSH)**



MB32 Mr.WEATHERING **SPONGE BIG**



MB33 Mr. WEATHERING **SPONGE SMALL**

GT45 Mr.BRUSH STAND GT35



●ROUND AND TRIANGULAR TYPE 2TYPE : 25PCS



GT44 Mr.COTTON SWAB BIG SIZE ROUND AND TRIANGULAR TYPE 2TYPE : 25PCS

GT69 Mr.COTTON SWAB

SUPER FINE SUPER FINE TYPE: 50PCS



GT96 Mr. COTTON SWAB (FLAT ROUND/TRIANGLE TYPE)

●FLAT ROUND TYPE: 25PCS / TRIANGLE TYPE: 25PCS





GT98 Mr.CLEAN STICK II



GT67 Mr.SPOON & **STICKS**



GT28 Mr.MIXII



GT42 Mr.DROPPER (SHORT)

●5PCS

GT99 Mr.DROPPER (LONG) 5PCS













FILTER to © No SOPER NOTE: **GT-03F** INNER



GT-03E

GT68

Mr.PAINT

STAND 4PCS IN PACKAGE Mr. Notonoto Ch GT89 Mr.ALMIGHTY CLIP BASE





GT34 **Mr.ALMIGHTY** CLIP I



GT46P **PARTS FIXING RUBBER FOR GT34**

GT52 ASSIST PARTS (B) FOR GT34



GT88 Mr.ALMIGHTY (clip w/stand)



GT100 Mr.ALMIGHTY **CLIP STICK**

(both ends

36pcs)



GTO 1 Mr.CORDLESS ROUTER

TWO AAA ALKALINE DRY BATTERY USE (OPTIONAL)



GTO9 Mr.CORDLESS ROUTER PROI

TWO AAA ALKALINE DRY BATTERY USE (OPTIONAL)



GTO1A BASIC SANDER SET GTO1C PRECISE SANDER SET GTO IE SMALL SANDER SET

GTO1B POWERFUL SANDER SET GTO1D DIAMOND SANDER SET GTO 1F STIRRER ATTACHMENT

GT10

Mr.ROUTER **PROII AC ADAPTOR** TYPE



A router using the household power supply A certain level of voltage is applied, so work efficiency is increased. A commercial bit with a shaft diameter of 2.35mm can be set in addition to the supplied bits. Accessories: 7 tip bits

GTO8 Mr.CORDLESS POLISHERII

TWO AAA ALKALINE DRY BATTERY USE (OPTIONAL)



GT-08A GRINDING CLOTH SHEET (ROUGH)

WATERPROOF GT-08C SANDPAPER SET(ROUGH)

WATERPROOF GT-08D SANDPAPER SET(FINE)

REPLACEMENT HEAD PARTS **GT-08E**

GT07 Mr.POLISHER PRO TWO AA ALKALINE DRY BATTERY USE (OPTIONAL)







GT95 #220 GT48 #400 GT38 #600

GT39 #800 GT40 #1000

GT41 REPLACEMENT **HEAD PARTS**

GT73

Mr.METAL BALL

GT73:400

Green



SB224 **Mr.SPARE BOTTLE XL ●80**m2

GT56 Mr.CAP OPENER

This is attached to the hottle of Anneous Hobby Color. Mr.Color or ACRYSION to allow paint to be poured directly onto a painting dish or the like.



Skid Bottle grip

GT51 Mr.SPOUT FOR AQUEOUS HOBBY COLOR,





SB220 **Mr.SPARE** BOTTLE

Mr.SPARE BOTTLE L ■18m2 **●40**mℓ



SB223




GT53 FINELY SLIT **MASKING SHEET SET**

W:1mm × L: 166mm × 90SHEETS W:2mm×L:166mm×45SHEETS



GT71 MASKING SHEET SET **ROUND & TRIANGLE**

• φ3mm•φ5mm ROUND MASKING SHIEET × 1 3mm TRIANGLE MASKING SHIEET × 1






Mr.GLUE APPLICATOR

This is a convenient tool for spot application of quick-drying glue, putty filling and putty building up. Quick-drying glue adhered to itself may be removed easily.



Mr.GRINDING CLOTH SET (ROUGH 400.600.800) ●SIZE: 93mm×210mm



GT36

Mr.GRINDING CLOTH SET

This polishing cloth is made of polyester mesh and abrasive agent. It is durable and may be washed with water and reused. It is very economical. The products with larger numbers have finer meshes.

GT61

230mm

Mr.WATER PROOF **POLISHING**

CLOTH #2400 #4000 SIZE : 93mm ×



GT62 Mr.WATER PROOF

POLISHING CLOTH r.ラブロス #6000 TO-CO-TORLE #8000

OSIZE : 93mm × 230mm



GT80 Mr.ANTI-STATIC **CLOTH**

SIZE: 200mm× 4000mm



GT31

Mr.FINISHING CLOTH (SUPER FINE)



GT32 Mr.FINISHING CLOTH (FINE)

●SIZE: 300mm×700mm



GT31 is used for final finish of compound polishing. GT32 is used for coarse compound polishing and water removal after washing.

GT50 Mr.PINVICE BASIC SET

DRILL BLADE FIXATION TYPE


•WITH IN THE CASE STORAGE



GT65 Mr.LINE CHISEL

(0.3 BLADE IS INCLUDED)

Blade is detachable



GT-65A 0.3m BLADE FOR GT65 GT-65B 0.2mm BLADE FOR GT65 GT-650 0.15m BLADE FOR GT65 GT-65D 0.1mm BLADE FOR GT65

GT-65E 0.5m BLADE FOR GT65 **GT-65F** NEEDLE BLADE FOR GT65 GT-65G 0.7m BLADE FOR GT65 GT-65H 1.0m BLADE FOR GT65 GT-651 1.2m BLADE FOR GT65

GT-65J COBRA BLADE FOR GT65 The cutting edge is attached to the other side of the flat surface of grip. Put the blade against the part to be carved at a right angle and to pull your side to carve.

Adjust the depth of groove to be carved by controlling the force put to the blade. Viewing from the side, the adequate angle between the surface of part and the grip is 45 to 60 degrees.

GT70 Mr.RIVET MARKING



Mr. Rivet Marking is a tool for reproducing the appearance of rivets in aircraft and tank models. The tip part rotates when the main body is pushed down, so without pressing it hard you can make sharp and even \bigcirc shaped rivet heads.

3 kinds of tip tool are furnished and they can be easily interchanged with a wrench. Various scale kits can be handled with this tool alone.

GT77

Mr.PRECISION DRILL $(0.5\mathrm{mm}, 0.6\mathrm{mm}, 0.8\mathrm{mm})$ **BLADE ARE** INCLUDED)



Mr.UN-SLIP SHEET

SIZE 300mm × 300mm

MF02

 $(\phi 3.2)$

FILE ROUND TYPE

GT81 Mr.PHOTOETCHED **PARTS BENDER**



MK01 **Mr.CARVING**

KNIFE HG



GT75 Mr.PRECISION CARVING KNIFE

(FLAT BLADE IS INCLUDED) ♦Blade is detachable -113mm gsi **Creos**

GT-75A FLAT BLADE FOR GT-75 GT-75B THIN FLAT BLADE FOR GT-75

GT-75C INCLINED BLADE FOR GT-75 GT-75D V.SHAPED BLADE FOR GT-75

GT-75E ROUND BLADE FOR GT-75 **GT-75F SCRAPER FOR GT-75 GT-75G** TRIANGLE BLADE FOR GT-75

GT87 Mr.CARVING KNIFE (ANGULAR BLADE IS INCLUDED)



GT-87C SINGLE EDGED ANGULAR BLADE FOR GT87 Mr.CARVING KNIFE

195mm



GT63 Mr.RASPS





MF10 Mr.DIAMOND FILE #1000 W/ HOLDER











Mr.T-TYPE

RULER









MB20

Mr.CLEANING-ANTI STATIC BRUSH (BLACK GOAT HAIR)

GT93 Mr.TWEEZERS

LPO 1 Mr.MAGNIFIER LAMP



LP02 Mr.GLASS LOUPE





DS001 Mr.TURN TABLE L





Mr. Turn Table can be used for large sized models, with its diameter of 189mm. Using a switch you can select between 2 rotation speeds (low/high). The table part has a mirror finish offering a touch of class.

Rotation speed: 2 step switching (2.0/1.0 rotations per min.) Power supply : AA dry cell batteries × 3 (available separately) Capable of load : up to 2kg

SC101 **SECTIONAL ACRYLIC** DISPLAY CASE

FOR 1:700 SCALE ARGE SIZE WARSHIP MODEL KIT



●Inside dimension 424mm×114mm×100mm

Mr.TOOLS





MT101 Mr.BASIC NIPPER



MT201 Mr.BASIC **TWEEZERS**



MT202 **Mr.PRECISION TWEEZERS**



MT203 **Mr.ANGLED TWEEZERS**



MT204 **Mr.BEVEL TWEEZERS**



MT301 Mr.WATERPROOF SAND PAPER SET ROUGH #400×2, #600×2, #1000×2 MT302 Mr.WATERPROOF SAND PAPER SET FINE #1200×2, #1500×2, #2000×2

MT303 Mr.WATERPROOF SAND PAPER #180 #180×4

MT304 Mr.WATERPROOF SAND PAPER #400 #400×4

MT305 Mr.WATERPROOF SAND PAPER #600 #600×4

MT306 Mr.WATERPROOF SAND PAPER #800 #800×4

MT307 Mr.WATERPROOF SAND PAPER #1000 #1000×4

MT308 Mr.WATERPROOF SAND PAPER #1500 #1500×4

Mr.WATERPROOF SAND PAPER #2000 #2000×4

VANCE MATERIAL






VM004 Mr. MOULDING **BLOCK 1**





VM005 Mr. MOULDING **BLOCK 2** (DOUBLE SIZE)





VM007 Mr. BLOCK **PLATE FOR** VM004 and VM005





VM006 Mr.CLAY (STONE CLAY)























VM016 Mr. DIORAMA CEMENT







An air brush for beginners, which is reasonably priced and easy to handle.The main body of the air brush has been made easier to grip. This is an improved version of the PRO-SPRAY series. Deluxe version of PRO-SPRAY BASIC is containing a stand and spiral



Mr.エアースーパー420







0.2mm • 0.4mm nozzle AIR

REPLACEMENT GLASS BOTTLE PRO-SPRAY

PS166

Mr.PRO-SPRAY Mk-6 HIGH QUALITY AIRBRUSH SET



PA145 Mr.AIR SUPER 480 NET 480me





Mr.LINEAR COMPRESSOR



Mr.LINEAR COMPRESSOR L5

An epoch-making compressor with linear-driven free piston. Low noise makes this compressor ideal even at night and can be run continuously 24 hours.

- ■STANDARD PRESSURE 0.1Mpa ■DURABILITY 3,000HOURS
- ■MAXIMUM PRESSURE 0.12Mpa ■STANDARD VOLTAGE AC100V ■AIR ASPIRATED 5.27Lit/min ■STANDARD FREQUENCY 50/60Hz
- ■OPERATION CONTINUOUS ■SIZE 160(L) × 120(W) × 160(H)
- ■WEIGHT 2.4kg



PS310 **Mr.LINEAR COMPRESSOR L5** / REGULATOR

A good set for those who have never used a compressor. This popular set of L5 includes a Mr.AIR REGULATOR and a Mr.AIR HOSE/SPIRAL



PS321 **Mr.LINEAR COMPRESSOR L5** / PS274 AIRBRUSH

A full set of Mr.LINEAR COMPRESSOR L5 with airbrush PS264 Mr. PROCON BOY WA 0.3mm for those who want to enjoy airbrush painting.



PS313 **Mr.LINEAR COMPRESSOR L5** / REGULATOR IV

A set of Mr.LINEAR COMPRESSOR L5 and Mr.AIR REGULATOR $\mathbb{N}.$ The attached mounting base offers compact installation of the regulator and stand.



PS305 **Mr.LINEAR COMPRESSOR L5** / PS289 AIRBRUSH

A full set of Mr. LINEAR COMPRESSOR L5 with airbrush PS-289 Mr. PROCON BOY WA PLATINUM Ver.2.



PS306 Mr.LINEAR COMPRESSOR L5 / PS290 AIRBRUSH

A full set of Mr. LINEAR COMPRESSOR L5 with airbrush PS-290, Mr. PROCON BOY LWA TRIGGER TYPE.



PS254 **Mr.LINEAR** COMPRESSOR L7

- STANDARD PRESSURE 0.1Mps
- DURABILITY 3.000HOURS
- MAXIMUM PRESSURE 0.15Mpa
- STANDARD VOLTAGE AC100V
- ■AIR ASPIRATED 7.0Lit/min STANDARD FREQUENCY 50/60Hz
- OPERATION CONTINUOUS
- SIZE 170(L) \times 140(W) \times 160(H)
- WEIGHT 2.9kg



PS307 **Mr.LINEAR COMPRESSOR L7** / REGULATOR

A set of Mr. LINEAR COMPRESSOR L7, Mr. AIR REGULATOR and Mr. STAND & TRAY SFT II



PS309 Mr.LINEAR COMPRESSOR L7 PS319 Mr.LINEAR COMPRESSOR L7 / PS270 AIRBRUSH

A full set of Mr. LINEAR COMPRESSOR L7 with airbrush PS270 A full set of Mr. LINEAR COMPRESSOR L7 with airbrush PS270 & PS289. Mr. PROCON BOY WA PLATINUM Ver.2.



/ PS270 & 289 AIRBRUSH



PS320 Mr.LINEAR COMPRESSOR L7 / PS289 & 290 AIRBRUSH

A full set of Mr. LINEAR COMPRESSOR L7 with airbrush PS289 & PS290.



PS351 Mr.LINEAR COMPRESSOR L3

- STANDARD PRESSURE 0.05Mpa MAXIMUM PRESSURE 0.085Mpa
- AIR ASPIRATED 3.0Lit/min OPERATION 30min

 STANDARD VOLTAGE AC100V STANDARD FREQUENCY 50/60Hz
- ■SIZE 108(L) × 70(W) × 115(H) WEIGHT 0.9kg



PS304 Mr.LINEAR COMPRESSOR L3 / PS268 AIRBRUSH

A full set of Mr.LINEAR COMPRESSOR L3 with airbrush Mr.PROCON BOY SQ and Mr.AIR REGULATOR MkI.



PS371 Mr.LINEAR COMPRESSOR CUTE

- STANDARD PRESSURE 0.03Mpa AIR ASPIRATED 3.0Lit/min
 OPERATION 60min STANDARD VOLTAGE AC100V
 STANDARD FREQUENCY 50/60Hz SIZE 140(L) ×50(W) ×83(H)
- WEIGHT 350g

PS274 Mr.PROCON BOY WA DOUBLE ACTION TYPE





10cc cup

PS266 Mr.PROCON BOY LWA DOUBLE ACTION TYPE





POUBLE O.5mmozzie 15cc cup The perfect airbrush for spraying

a metal color or surface layer over a large area. This airbrush provides stable spraying even under low pressure. The 15-cc large cup of the direct-mount type makes it easy to wash. This airbrush has a 1/8 (S) mouth with inint for PS (fine)

PS268 Mr.PROCON BOY SQ SINGLE ACTION TYPE





SINGLE 0.4mnozzie 7cc cup

This airbrush has all the standard requirements for an airbrush for beginners at an amazingly low price. Paint spray thinness is easily adjusted with the dial on the back of the unit. This airbrush has a 1/8(S) mouth with joint for PS(fine).

PS270 Mr.PROCON BOY FWA PLATINUM 0.2 DOUBLE ACTION TYPE





O.2mnozzie 10cc cup

≯ Air adjustment system

The spray can be easily adjusted for metallic colors, quick drying paint, and other paint characteristics by simply controlling only airflow - no

pressure adjustment is needed.
* Semi-easy soft button
Push down the button to adjust the fineness of the needle without paint squirting out when pulling the button. This enables smooth spraying whenever you pull the button.

PS289 Mr.PROCON BOY WA PLATINUM 0.3 Ver.2 DOUBLE ACTION TYPE





DOUBLE O.3mmozzie 10cc cup

While this needless to say includes the much talked about air adjustment system, we have installed a semi-easy soft button feature for smooth spraying.

*Air improvement mechanism It regulates the air flow so that stable operation is enabled even at low air pressure.

PS770 Mr.AIR BRUSH CUSTOM 0.18 DOUBLE ACTION





DOUBLE O.18mmozzie 10cc cup

PS282 DRAIN & DUST CATCHER

Even when using a regulator, water droplets can still collect on the inside of hoses during the humid rainy season. Connect this to your airbrush as an additional second defense against water droplets.





PS288 **DRAIN & DUST CATCHERII** Attached to your airbrush this combination of hand-grip and airfilter gets you better results by enabling you to regulate air flow by hand.



These are Light type of PS282 and PS288, aluminum is used for the main body, so the stress on the wrist is reduced and work efficiency is improved. Comparison of weight from the former type: PS282 40.5g PS382 24.0g PS288 51.3g PS388 30.0g

PS265 Mr.PROCON BOY SAe SINGLE ACTION TYPE





7cc cup

An airbrush with dial for easy spray adjustment by one thumb. This airbrush has a 1/8 (S) mouth

PS267 Mr.PROCON BOY FWA DOUBLE ACTION TYPE





DOUBLE O.2mnozzie 10cc cup

An ultrahigh-precision airbrush featuring a 0.2 mm nozzle diameter. This airbrush delivers

great performance for ink-spot dazzle and fine-gradation painting. This is the first smalldiameter model with 10-cc cup. This airbrush has a 1/8 (S) mouth with joint for PS (fine)

PS-268AB PROCON BOY SQ LIGHT ALUMINIUM PS-268AR PROCON BOY SQ LIGHT ALUMINIUM





The weight has been significantly reduced by changing the material of the main body and paint cup from brass to aluminum (former type (PS268) 139g 73g). The main body is alumite processed, and the surface is coated in a bright beautiful color tone.

PS275 Mr.PROCON BOY WA TRIGGER DOUBLE ACTION TYPE



O.3mnozzie 7cc cup

The hand operated trigger operation keeps fingers from getting fatigued, greatly improving the results of painting done on broad surfaces and for long periods of time.

Mr.PROCON BOY LWA TRIGGER TYPE DOUBLE ACTION TYPE





■The spraying pattern can be changed with two kinds of air caps



15cc cup A trigger type airbrush great for use on big surfaces. The hand operated trigger operation keeps fingers from getting fatigued, greatly improving the

DOUBLE O.5mmozzle

results of painting done on broad surfaces and for long periods of time. For even more flexible airbrushing, you can switch between two types of nozzle caps with different tip size depending on whether you want a normal or wide spray pattern.

Mr.AIR REGULATOR STAND FOR L5 & L7 PS234 **Mr.AIR REGULATOR** WITH STAND FOR L5 & L7



PS253 Mr.AIR REGULATORI / STAND



An essential item for airbrush painting equipped with decompression, draining, and branching functions.

PS259 Mr.AIR REGULATORII

An installation-type regulator mounted on Mr.STAND. This regulator can not only be used for L5 and L10, but also for other low-pressure compressors.









PS245



PS240 Mr.AIR VALVE



PS241 Mr. HOSE JOINTS 3 PCS









PS244 Mr.AIR HOSE PS STRAIGHT 1.5M



















■SF285, B506 Mr.SURFACER 500

This coating is useful for filling in bumps and dents in plastic models, scratches and for removing bubbles and finishing bases. It is suitable for large scale repairs and can be used as soluble putty.

■SF284, B505, B519 Mr.SURFACER 1000

Mr.SURFACER 1000 contains finer granules than Mr.SURFACER 500. They are both used in much the same way but, due to the finer granules, after sanding with waterproof sand-paper a perfectly corrected surface is possible. Available in bottle and as spray.

■B515 Mr.SURFACER 1200

Mr.SURFACER 1200 contains finer granules than Mr.SURFACER 1000. They are both used in much the same way.

■B511 Mr.WHITE SURFACER 1000

Since it is white, Mr.WHITE SURFACER is used to modify plastic model parts that are black or dark in color. If this is used on the entire model, only a thin over-coat of paint in the desired color is necessary.

■SF283, B518 Mr.BASEWHITE 1000

Mr. BASE WHITE is useful for making a black, red or other dark-colored surface white. This newly developed product uses special pigments to completely hide the base color and aids application of detailed finishing and top coats. Because it also works as a surfacer, it can be used to hide small imperfections.

■B524, SF287 Mr.PRIMER SURFACER

This is a surfacer with primer.

The material used in Surfacer 1000 has been improved for this product.

Surface attachment has been enhanced not only for plastic models but also for metal in etched parts and resin. Color is gray.

■B525 Mr.OXIDE RED SURFACER

This surfacer has reproduced the rust-proofing color used as the base color on tanks.

Base coat painting on tanks can be done in one go, so that you can start painting the exterior within a shorter time.

This product has the same grade as the widely used Surfacer 1000.

■Differences between B518 Mr.BASE WHITE 1000 SPRAY and B511Mr.WHITE SURFACER 1000 SPRAY

Both items are used in almost the same way, but the amount of pigments is different.

B518 contains less granules but more white pigments than B511, so it is great for filling in bumps and dents and you get a whiter surface than with B511. B511 on the other hand contains more granules, so it is easier to fill in scratches with it. Its color is a bit greyish.

■SF288, B526 Mr.FINISHING SURFACER 1500 BLACK

This is a black version of the Finishing Surfacer.

This black base allows the omission of the painting of a black coat before applying a metallic color and reduces the thickness of painting.

* This is not suitable for finishing before painting on SM08 Plate Silver Next. It is necessary to apply a gloss black paint separately or polish the surface.

■SF289, B527 Mr.FINISHING SURFACER 1500 GRAY

This surfacer can be applied to give a final finish to the surface more smoothly.

It has the characteristic of being fine grained and it is not prone to clogging up details in the mold. Most suitable not only for making a base before painting but also for surface finishing of an original mold before casting.

■SF290, B528 Mr. MAHOGANY SURFACER 1000

Surfacer in mahogany color (dark brown).

This surfacer can be applied to smooth the surface and it can also be applied as a dark brown base paint shading color, this gives depth to the end result after the basic color is applied on top.

■T302,303 ACRYSION THINNER

Thinner for new water based color "ACRYSION". Dilution ratio is 3 paint: 1 thinner when you paint by airbrush.

■T106,108 Mr.COLOR LEVELING THINNER

Mr. LEVELING THINNER is excellent for spray (airbrush) applicators. Mixing Mr. LEVELING THINNER into Mr. COLOR at a ratio of 1:1 or 1:2 improves coat leveling and increases shine. When drying is slow because of insufficient air current during winter months, it is best to mix Mr. COLOR THINNER into Mr. LEVELING THINNER. The mixture will be dry to the touch after a period of about 10 minutes.

■T117 Mr.RAPID THINNER

Drying speed when an air brush is used is faster than with the regular thinner, and when metallic paint is used in particular, metallic particles are aligned evenly to produce a neat glossy surface. This is also suitable for dilution of surfacer and mat paint, and also for camouflage painting and gradation painting.

* Because of the fast drying speed, we do not recommend this for glossy paint types other than metallic painting. Please use Mr. Leveling Thinner for glossy painting.

■SM01 - 06, 08 Mr.COLOR SUPER METALLIC

The SUPER METALLIC Series is a very new metallic paint, which uses high class fine metallic particles.

The base material used is the same as that for Mr.Color.

- •Please use T101- T104 Mr.Color Thinner or T106,T108 Mr.Color Leveling Thinner for paint dilution and airbrush painting.
- •For airbrush painting, dilute paint with thinner to a ratio of 1 paint: $1\sim2$ thiner (excluding SM08).
- •For further glazing, coat the surface using B513 Super Clear Gloss, etc (excluding SM06 and SM08).

* Notes

- •Be sure to use Leveling Thinner for SM01 and SM06 in order to utilize the characteristics of the paint.
- •For SM06, be sure to apply Mr.Color, Mr.Spray black (gloss) as a base coat color before painting in order to give a metallic touch.
- •In case of SM06 and SM08, clear paint can not be applied over the painted surface (it dulls the color).
- •Metallic particles tend to set easily, so stir well when thinning and even during painting.
- •Needle airbrushes tend to clog easily with metallic particles, so do not attempt an extremely fine spray. Use an airbrush with a bore diameter of over 0.3mm.

■CR1. CR2. CR3 PRIMARY COLOR PIGMENTS FOR Mr.COLOR

Primary color pigments for Mr.Color are coating additives for which concentration of the three primary colors cyan, magenta, and yellow, that are raw materials of Mr.Color, is adjusted to allow color mixing with Mr.Color while keeping high purity.

Since Primary color pigments for Mr.Color do not include any pigments that conceal foundation coat (such as white and black), these cannot be used as single units in a similar way to other paints, but these are useful for fine adjustment of tint of existing colors without making muddy, natural gradation coating with vivid color tone by making use of high color transparency, and metallic color toning.

Also by mixing it into GX100 Super Clear , original clear colors can be made for coating clear parts.

*As used above

With Primary color pigments for Mr.Color, the intensity of coloring is in the order of cyan, magenta, and yellow (lowest).

When mixing colors, be sure to add a higher intensity color little by little to a lower intensity color.

As the rate of addition of Primary color pigments for Mr.Color becomes higher, the ground masking capacity of color becomes lower.

For beautiful coloring, conduct undercoating with a color made by mixing C1 WHITE of the same quantity or twice to mixed paint.

For beautiful painting surface finish, conduct wet-on-wet coating of a thinly diluted color little by little by suppressing the discharge of airbrush.

■GT65 Mr.LINE CHISEL

The line chisel is a precision cutting tool dedicated for chiseling lines. Since the cutting edge is convex, this can be used to chisel easily to make thin grooves with uniform width.

Since the blade is detachable, it can be replaced, according to the application, with a different sized one that is sold separately.



February, 2017 Issue



GSI Creos Corporation